

## DeMaria, Eva

---

**From:** DeMaria, Eva  
**Sent:** Monday, December 21, 2015 12:21 PM  
**To:** 'ORR Jim'; LIVERMAN Alex; Scheffler, Linda; Sheldrake, Sean; Matt McClincy (mcclincy.matt@deq.state.or.us); Michael Allen (allenmc@cdmsmith.com)  
**Subject:** EPA Comments - 2363 Crawford Street ISCM Work Plan for SCM  
**Attachments:** EPA Comments - Crawford Str Corp ISCM Work Plan.pdf

Hi Jim-

Please find attached, EPA's comments on the Crawford Street ISCM and data gap analysis. Please call or email if you have questions. Thanks.

Eva

---

**From:** ORR Jim [mailto:orr.jim@deq.state.or.us]  
**Sent:** Tuesday, December 01, 2015 8:07 AM  
**To:** LIVERMAN Alex <liverman.alex@deq.state.or.us>; Scheffler, Linda <Linda.Scheffler@portlandoregon.gov>; DeMaria, Eva <DeMaria.Eva@epa.gov>; Sheldrake, Sean <sheldrake.sean@epa.gov>  
**Subject:** 2363 Crawford Street ISCM Work Plan for SCM

Attached is a work plan for interim remedial measures and Data Gap Report for 2363 Crawford Street.

Please let me know if you wish to comment and your schedule.

*Thank You*

*Jim Orr  
DEQ Northwest Region  
700 NE Multnomah St. Suite 600  
Portland, Oregon 97232  
503-229-5039*

*One Day I Hope to Be the Person My Dog Thinks I Am...*

---

**From:** Ross Rieke [mailto:rrieke@bridgeh2o.com]  
**Sent:** Tuesday, December 01, 2015 6:54 AM  
**To:** ORR Jim  
**Cc:** Mat Cusma; Myers, Mark; 'Daniel Scarpine'  
**Subject:** Crawford Street ISCM Work Plan

Jim:

Here is the work plan for the interim source control measure at the Crawford Street site.

Ross D. Rieke, PE  
Bridgewater Group, Inc.  
(P)503.675.0903  
(C)503.329.1550

[rrieke@bridgeh2o.com](mailto:rrieke@bridgeh2o.com)

*The information in this email may be confidential and/or privileged. This email is intended to be reviewed and used only by the individual or organization named above for the explicit purpose of conducting business with Bridgewater Group, Inc. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please notify the sender immediately by return email and delete this email from your system.*